# **General Aviation Flight and Weather Data**

## **NOAA Aviation Weather Center - METAR for KLND**

## **National Weather Service - Extended Forecast for KLND**

### **AirNav**

## Location

FAA Identifier: LND

42-48-55.3850N 108-43-42.8270W

42-48.923083N 108-43.713783W

Lat/Long: 42.8153847,-108.7285631

(estimated)

Elevation: 5588.9 ft. / 1703.5 m (surveyed)

Variation: 10E (2020)

From city: 1 mile S of LANDER, WY

Time zone: UTC -6 (UTC -7 during Standard Time)

Zip code: 82520

### **Airport Operations**

Airport use: Open to the public

Activation date: 11/1937

Control tower: no

ARTCC: SALT LAKE CITY CENTER

FSS: CASPER FLIGHT SERVICE STATION

NOTAMs facility: LND (NOTAM-D service available)

0600-1600

Attendance: FOR SERVICE AFT HRS CALL 307-330-8668.

Wind indicator: lighted

Segmented

circle:

yes

Lights:

ACTVT REIL RWY 4 & 22; MIRL RWY 04/22 - CTAF; PAPI RWY 04 & 22 OPR

CONSLY.

white-green (lighted land airport)
Beacon:

Operates sunset to sunrise.

### **Airport Communications**

CTAF/UNICOM: 122.8

WX ASOS: 118.15 (307-332-2633) WX ASOS at RIW (19 nm NE): 121.425 (307-856-4473)

• APCH/DEP CTL SVC PRVVD BY SALT LAKE ARTCC (ZLC) ON 133.25/285.6 (BOYSEN RCAG).

### **Nearby Radio Navigation Aids**

#### **VOR** radial/distance

RIWr209/19.2

#### **VOR** name

RIVERTON VOR/DME

#### Freq

114.05

#### Var

10E

## **Airport Services**

Fuel available: 100LL JET-A

100LL:FUEL AVBL 24 HRS SELF SERV CREDIT CARD

Parking: hangars and tiedowns

Airframe service: MAJOR

Powerplant service: MAJOR

POWERPLANT RPRS LTD TO PISTON ENGINES ONLY.

Bottled oxygen: NONE

Bulk oxygen: NONE

## **Runway Information**

Dimensions: 5000 x 75 ft. / 1524 x 23 m

Surface: asphalt, in excellent condition

Weight bearing PCN 37 /F/D/X/T

capacity: Single wheel: 30.0

Runway edge

lights:

medium intensity

RUNWAY 4 RUNWAY 22

Latitude: 42-48.660565N 42-49.185580N

Longitude: 108-44.144143W 108-43.283362W

Elevation: 5588.9 ft. 5556.9 ft.

left

RIGHT TRAFFIC PATTERNS PERMS ON RWY

Traffic pattern: left 22 DEPARTURE DURING HEAVY WIND TO

AVOID THE MOUNTAINS DUE TO SEVERE

2-light PAPI on left (3.00 degrees glide path)

DOWN DRAFTS.

Runway

040 magnetic, 050 true heading:

220 magnetic, 230 true

Markings:

nonprecision, in good

condition

nonprecision, in good condition

2-light PAPI on left (3.00

Visual slope

degrees glide path)

indicator: PAPI RWY 04 UNUSBL BYD 2

FAFI KWI 04 UNUSDE L

NM.

Runway end

identifier lights:

yes

yes

Touchdown

point:

yes, no lights

yes, no lights

135 ft. tree, 3538 ft. from

Obstructions: runway, 250 ft. right of none

centerline, 24:1 slope to clear

**Airport Ownership and Management from Official FAA Records** 

Ownership: Publicly-owned

Owner: CITY OF LANDER

240 LINCOLN ST LANDER, WY 82520 Phone 307-332-2870

Manager: CHRIS JOHNSON

240 LINCOLN STREET LANDER, WY 82520 Phone 307-330-3408

### **Airport Operational Statistics**

Aircraft based on the field: 48
Single engine airplanes: 40
Multi engine airplanes: 5
Jet airplanes: 1
Helicopters: 1
Ultralights: 1

Aircraft operations: avg 27/day \*

55% local general aviation

44% transient general aviation

1% air taxi <1% military

\* for 12-month period ending 30 June 2021

### **Additional Remarks**

A30A-22 TWR 305 FT ABV APCH END 14728 FT FM RWY END 90 FT RIGHT OF CNTRLN.

- BIRD ACTIVITY INVOF ARPT.
- FOR CD CTC SALT LAKE ARTCC AT 801-320-2568.

IAPs - Instrument Approach Procedures (Not for Navigation - Please procure official charts for flight.)

RNAV GPS RWY 22 231.65 KB

Note - Special Alternate Minimums Apply 209.89 KB

Note - Special Take-Off Minimums/Departure Procedures Apply 559.79 KB

## **Other Nearby Airports with Instrument Procedures**

KRIW - Central Wyoming Regional Airport (19 nm NE)

KPNA - Ralph Wenz Field Airport (48 nm W)

KHSG - Hot Springs County Airport (56 nm N)

KBPI - Miley Memorial Field Airport (62 nm W)

KRKS - Southwest Wyoming Regional Airport (75 nm S)